Quick Start Guide

Permanently Deleting Filters in LOAMS

LOAMS
Lube Oil Analysis Management System

⭕ Objectives:

1 Access the manage filters section

2 Explore the delete filter option

3 Learn how to permanently delete filters in 3 easy steps

Permanently Deleting a Filter

○ Deleting filters in LOAMS is possible by following the 3 steps below:

1 Hover your cursor over the preferences tab and select the filters option from the drop down menu.

2 Find and select the name of the filter you plan to delete from the filter's box located at the left of your screen.

3 Click the delete filter button. This action will open the delete filter confirmation window. Click yes to confirm the deletion of the filter. You have successfully and permanently deleted a filter in LOAMS.

LOAMS — The Lube Oil Analysis Management System — by Bureau Veritas gives you access to real-time oil analysis data from your computer, tablet or mobile device. LOAMS is:

Cloud-Based Multiple graphing functions allow users to create custom graphs to plot trends and compare equipment.

Scalable LOAMS can be scaled to match your needs.

Configurable Data access, user permissions and system functionalities can be configured by user or company.

Customizable Users can customize the application to manage data according to individual needs and preferences.

Simple User-friendly interface provides a simple and easy-to-use application for all skill levels.

LOAMS

Lube Oil Analysis Management System

LOAMS SUPPORT DESK

Phone: 1.800.655.4473
Email: LOAMS@us.bureauveritas.com